



Celebrating



ANNIVERSARY

SANFORD is celebrating 10 years of business success, Ever since its inception, SANFORD has been committed to delivering high-quality solutions with a special focus on interior decoration.





We Think

Defining excellence as we see it has become a natural process over the years.

We believe in the power of innovation, the uniqueness of Italian design, the importance of sustainability, the strength of discipline in all fields and the value of the people who work for us.

For many years we have worked with the world's leading architects, managing cross-border projects, supporting their creative quest and exchanging valuable know-how in order to constantly improve our products and align our services with their evolving needs.

We like to think of ourselves as real partners with real values that will sustain architectural excellence today, tomorrow and in the future.



Endless Advantages



Non - absorbent



frost resistance



Satin resistance



Chemical resistance



Resistance to UV



Easy to clean



Hygienic



scratch resistance



Hot resistance



High resistance to breaking load



Our journey

Sanford The Branding Heart Cutting-Edge Technology Since 2010.

Since 2010, Sanford is spearheading the industry with its cutting-edge technology and outstanding design.

2014-2015

Sanford launches new sizes In PGVT | GVT.

Sanford doubles its production capacity in just 5 years.

2016-2017

Sanford launches 20mm, 16mm, 12mm in fullbody.

The company participates in ACE TECH event and vibrant ceramic expo event.

2020-2021

Sanford provides extensive collection of tiles based on customer's needs & expectations.

2010-2011

Sanford came in to existence and starts producing soluble salts.

2012-2013

Sanford participates in ACE TECH event and starts producing glazed porcelain tiles. (PGVT/GVT)

2018-2019

Sanford launches its own slab production successfully.















Our Export

- Usa
- Brazil
- Egypt
- Poland
- Saudi arabia
- South africa
- South korea

- Romania
- Ecuador
- Thiland
- Vietnam
- Indonesia
- Cambodia

- Bahrain
- Oman
- Qtar
- Iraq
- Russia
- Uk

- ahrain
- Taiwan
- Uae
- France
- Yemen
- 10111011
- Mexico
- Greece

We Give You More Than Exporting













HOME INDOOR FLOOR _ WALL FLOOR RENOVATION



EXTERNAL CLADDIN WALL



COMMERCIAL & PUBLIC FLOOR _ WALL



OFFICE BUILDING FLOOR _ WALL



HOSPITALITY FLOOR _ WALL



SHOP & BOUTIQUE FLOOR _ WALL LIGHT COMMERCIAL FLOOR RENOVATION

Endless Destinations

A variety of solutions both technical and stylistic.

Project Evolution slabs offer designers a vast selection of materials, with sizes and finishes that can add value to any type of interior environment: from hotels to airports, from lofts to country houses. In the same manner, they are an attractive and durable option for outdoor fallades of private and public buildings.






ALDEN BIANCO 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite**, **Rustic**,








ARMANI GRAY MATT 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite**, **Matt**,








BONTANG GREY 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**








ELISTA BEIGE 600X1200

Size: 600 X 1200 MM
Finish: Exquisite, Rustic,







ELISTA COPPER 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**













ELISTA GREY 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**

















ELISTA SILVER 600X1200

Size: 600 X 1200 MM
Finish: Exquisite, Rustic,














MAZIKA STATUARIO 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**








MEDAN BEIGE 600X1200

Size: 600 X 1200 MM
Finish: Exquisite, Rustic,







PANDORA DARK 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**








PANDORA LIGHT 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**

Random ·








ROYALISH BEIGE MATT 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite**, **Matt**,







SPLIT BISQU 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**













SPLIT BROWN 600X1200

Size: 600 X 1200 MM
Finish: Exquisite, Rustic,






SPLIT CREMA 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**













SPLIT GREY 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**

Random ·






SPLIT LIGHT GREY 600X1200

Size : **600 X 1200 MM**

Finish : **Exquisite, Rustic,**







STONIC CREMA 600X1200

Size: 600 X 1200 MM
Finish: Exquisite, Matt,







STONIC GREY 600X1200

Size: 600 X 1200 MM
Finish: Exquisite, Matt,

Random ·



CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF SANFORD POLISHED GVT	MEAN VALUE OF SANFORD RUSTIC GVT	TEST METHOD				
REGULATORY PROPERTIES								
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2				
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2				
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2				
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2				
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2				
Color difference	Unaltered	No change	No change	ISO-10545-16				
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER				
STRUCTURAL PROPERTIES								
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3				
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082				
MASSIVE MECHANICAL PROPERTIES								
Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 40 N/mm²	ISO-10545-4				
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4				
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5				
SURFACE MECHANICAL PROPERTIES								
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7				
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101				
THERMO HYGROMETRIC PROPERTIES								
Frost resistance	No damage	No damage	No damage	ISO-10545-12				
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9				
Moisture expansion	Nil	Nil	Nil	ISO-10545-10				
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8				
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11				
CHEMICAL PROPERTIES								
Chemical resistance	No damage	No damage	No damage	ISO-10545-13				
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14				
SAFETY PROPERTIES								
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17				
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.				
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15				

PACKING DETAILS

SR. NO.	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIEDTILES	600 x 600 mm	9 mm	4	1.44 Sq. Mtr.
2	VITRIFIEDTILES	600 x 1200 mm	9.50 mm	2	1.44 Sq. Mtr.



Sanford Vitrified Pvt Ltd

At:- Sartanpar, Tal:- Wankaner,
Dist:- Morbi.
Sartanpar - 363622
Morbi.(Guj.)India.
Phone: 02828 296680

Export:
Phone: +91 9909908726
Email: export@sanfordvitrified.com

Domestic: Phone: +91 9909908710 Email: marketing@sanfordvitrified.com